

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/L.S.I (R58)/ Rev. RED/I.S./(123.1)  
No:- Format1.0/CAC/UAN No.MPCB-  
CONSENT-0000276067/CR/2605000085

Date: 03/05/2026

To,  
M/s. Emcure Pharmaceuticals Ltd.,  
D-24 & D-24/1, MIDC Kurkumbh,  
Tal. Daund, Dist. Pune



**Sub: Renewal of Consent for manufacturing of the bulk drugs under RED category.**

**Ref:** 1. Earlier Consent to Operate granted vide No:- Format1.0/CAC/UAN No.MPCB-CONSENT-0000200699/CR/2503001224 dated 08/03/2025  
2. Minutes of 18th Consent Appraisal Committee meeting held on 30.03.2026

Your application No.MPCB-CONSENT-0000276067 Dated 30.01.2026

For: Grant of Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to renewal is granted for a period up to 30/04/2031**
- The capital investment of the project is Rs.485.96 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 445.84 Crs + Expansion C.I. - Rs. 40.12 Crs)**
- Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	ARV Products	20	0	20	MT/M
	Cardiovascular				
	CNS Products				
	Anti- hypertensive				
	Anti- cholesterol				
	Synthetic organic chemicals				
	Intermediates				
	Haematinic				
	Phytochemicals				

<b>Sr No</b>	<b>Product</b>	<b>Existing Quantity</b>	<b>Proposed Quantity</b>	<b>Total</b>	<b>UOM</b>
	Anti-glaucoma				
	Anti-ulcerative				
	Anti-inflammatory				
	Non-steroidal anti-inflammatory				
	Anti-viral				
	Food Additive				
	Calcium Supplement				
	Anti-hyperphosphatemic agent				
	Anxiolytic				
	Anti-cancer				
	Anti-obesity Agent				
	Anti-hyperammonemic				
	Anti-depressant				
	Anti-convulsant				
	Anorexic				
	Anti-psychotic				
	Anti-malaria				
	Anti-inflammatory, analgesic				
2	Anti-xiolytic	40	0	40	MT/M
	Anti-arrhythmic				
	Anti-emetic				
	Astringent				
	Anti-anginal				
	Anti-asthmatic				
	Anti-androgen				
	Anti-neoplastic				
	Anti-spasmodic				
	Anti-parkinsonian				
	Anti-thrombotic				
	Bone resorption inhibitor				
	Chelating Agent				
	Class I anti-arrhythmic				
	Immunosuppressant				
	Non nutritive sweetener				
	Anesthetic				
	Nootropic				
	Neuroprotective				

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal Path</i>
1.	Trade effluent	244	As per Schedule-I	Partly recycle 93 CMD & partly CETP 151 CMD
2.	Domestic effluent	42.00	As per Schedule-I	CETP

5. **Conditions under Air (P & CP) Act, 1981 for air emissions:**

<i>Sr No.</i>	<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
1	S-1	Boiler (7 TPH)	1	As per Schedule -II
2	S-1	Boiler (6.3 TPH) ( Stand By)	1	As per Schedule -II
3	S-3 to S-4	DG Set-1010 KVA- 02 Nos.	1	As per Schedule -II
4	S-5 to S-6	DG Set-1500KVA- 02 Nos.	1	As per Schedule -II
5	S-7 to S-38	Scrubbers - 32 Nos.	32	As per Schedule -II
6	S-39 to S-60	Dust Collectors -22 Nos	22	As per Schedule -II
7	S-61	Fire Engine DG Pump - 100KVA	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Paper, Cleaned drums, Carboys, empty Boxes, Wooden and garbage, MS, Aluminium foil, Papers, empty boxes & Plastic garbage, Wood cleaned drums, carboys, etc	61	MT/M	Sale	Sale to authorized party
2	Ash from Briquette Boiler	150	MT/M	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<i>Sr No</i>	<i>Category No./ Type</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Off Specification /Discarded / Expired material under Narcotic Class	5.00	MT/A	Incineration/ Other	CHWTSDF / Pre-Processor / Co-Processor
2	Glasswool, Insulation & Thermocole - CHWTSDF/Re-processor/ Co-processor/ Authorized recycler	10	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor

<b>Sr No</b>	<b>Category No./ Type</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
3	28.1 Process Residue and wastes	13.00	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
4	20.1 Contaminated aromatic, aliphatic or napthenic solvents may or may not be fit for reuse.	50	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
5	35.3 Chemical sludge from waste water treatment	1250.00	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
6	20.3 Distillation residues	113.00	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
7	5.1 Used or spent oil	12000	Ltr/A	Recycle	Sale to authorised party
8	28.6 Spent organic solvents	15400	MT/A	Recycle*	Sale to authorised party
9	28.3 Spent carbon	70	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
10	Other	5.00	MT/A	Incineration	Bio-Medical Waste - Authorized Bio medical waste treatment disposal Facility
11	28.4 Off specification products	27	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor
12	28.5 Date-expired products	8.5	MT/A	CHWTSDF / Pre-Processor / Co-Processor	CHWTSDF / Pre-Processor / Co-Processor

\* Sale to Authorized Party having permission under Rule 9 of H&OW Rule

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Disposal Path</b>
1	Battery Waste	5.00	MT/A	Sale to Authorized Party

**Specific Conditions for used Batteries:**

- i. The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
- ii. The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
- iii. Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. **Conditions under E-Waste Management:**

<b>Sr No</b>	<b>Type of Waste</b>	<b>Quantity</b>	<b>UoM</b>	<b>Disposal Path</b>
1	E-Waste	5.00	MT/A	Sale to Authorized Party

10. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

<b>Sr.No</b>	<b>Category</b>	<b>Type of Waste</b>	<b>Quantity not to exceed (Kg/M)</b>	<b>Segregation Color coding</b>	<b>Treatment &amp; Disposal</b>
1	Yellow	a) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	350.00	Yellow colored non- chlorinated plastic bags containers	CBMWTSDF
2	White (Translucent)	Waste sharps including Metals	67.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF

11. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
13. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.
14. This consent is issued as per the minutes of 18th Consent Appraisal Committee meeting held on 30.03.2026
15. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	1943853.00	TXN2602005460	24/02/2026	Online Payment
2	242980.00	TXN2603001335	06/03/2026	Online Payment
3	75000.00	TXN2603001888	09/03/2026	Online Payment
4	258187.00	TXN2603001890	09/03/2026	Online Payment

**The previous balance amount of Rs. 2,657,560 has been utilized in this renewal of consent, now balance fees with Board is NIL”**

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB,Sion, Mumbai
3. CC-CAC updating.



## SCHEDULE-I

### **Terms & conditions for compliance of Water Pollution Control:**

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of: i) Strong COD/TDS stream of 50 CMD - Treatment system comprising of Primary (Primary after stmt) followed by Multi effect evaporator (3 stage). The MEE condensate is treated in weak stream ETP. ii) Weak COD/TDS stream of 194 CMD - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter, Reverse Osmosis & MEE) with design capacity of 300 CMD
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

<b>Sr.No</b>	<b>Parameters</b>	<b>Limiting concentration not to exceed in mg/l, except for pH</b>
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Total Dissolved Solids	2100
(7)	Chloride	600
(8)	Sulphate	1000
(9)	Phosphates as P	5
(10)	Phenolic Compounds	1
(11)	Zinc	5

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The partly treated effluent (93 CMD) shall be recycled/reused for cooling tower make-up, fire frightening, air conditioning & utilities and remaining shall be discharged to CETP after confirming above standards. In no case, effluent shall find its way outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 75.00 CMD for the treatment of 42.00 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

<b>Sr.No</b>	<b>Parameters</b>	<b>Standards (mg/l)</b>	
1	Suspended Solids	Not to exceed	50 mg/l
2	BOD 3 days 27°C	Not to exceed	30 mg/l
3	COD	Not to exceed	100 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged to CETP after confirming above standards. In no case, sewage shall find its way outside factory premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	308.00
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	243.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

## SCHEDULE-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler (7 TPH)	Multi Cyclone	30.00	Briquette 750 Kg/Hr	-	TPM	150 Mg/Nm <sup>3</sup>
	Boiler 6.3 TPH) (Stand By)	Stack		PNG 500 Kg/Hr	-	NOx	50 Mg/Nm <sup>3</sup>
				LSHS/LDO 500 Kg/Hr	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	240 Kg/Day
S-3 to S-4	DG Set-1010 KVA- 02 Nos.	Acoustic Enclosure	6.50	HSD 400 Kg/Hr	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	768 Kg/Day
S-5 to S-6	DG Set-1500KVA- 02 Nos.	Acoustic Enclosure	30.00	HSD 800 Kg/Hr	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	1536 Kg/Day
S-7 to S-38	Process Vent Scrubbers - 32 Nos.	Scrubber	10.00	-	-	Acid Mist	35 Mg/Nm <sup>3</sup>
S-39 to S-60	Process Vent Dust Collectors -22 Nos	Cyclone	10.00	-	-	TPM	150 Mg/Nm <sup>3</sup>
S-61	Fire Engine DG Pump - 100KVA	Acoustic Enclosure	2.50	HSD 15 Kg/Hr	1	TPM	150 Mg/Nm <sup>3</sup>
						SO2	7.2 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	150 mg/ Nm <sup>3</sup>

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

### SCHEDULE-III

#### Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	25 Lakh	Existing	Towards O&M of Pollution Control System and compliance of Consent Conditions	30/04/2031	30/04/2031


If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

#### BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

#### BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



## **SCHEDULE-IV**

### **General Conditions:**

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
  1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.


**Storage for disassembled parts:** The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
  2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
  3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.

4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
  5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
  6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
  7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
  8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
  9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
  10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
  11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
6. The Energy source for lighting purpose shall preferably be LED based
  7. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
  8. Conditions for D.G. Set
    - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
    - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
    - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
    - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
    - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
    - f) D.G. Set shall be operated only in case of power failure.
    - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
    - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
  9. The applicant shall maintain good housekeeping.

10. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
11. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
12. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
13. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
14. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
15. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
16. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
17. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
18. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
19. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
20. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
21. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
22. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
23. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

24. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
25. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
26. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
27. The industry should not cause any nuisance in surrounding area.
28. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
29. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
30. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
31. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
32. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
33. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
34. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
35. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
36. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.

37. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
38. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
39. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
40. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
41. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
42. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
43. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year



---

This certificate is digitally & electronically signed.

---